

# **Adventurer 3**

**Desktop Minimalist 3D Printer** 



Allocated with fully upgraded patented extruder assembly, steady filament loading structure, turbofan and air guide, the printing result of Flashforge Adventurer 3 is greatly improved. Ready-to-use and Non-leveling design avoid imprecise printing from improper leveling operation.



- Simplized, portable and compact design
- Stainless Nozzle: detachable buckle design, easy installation
- Auto filament feeding with an enclosed built-in filament cartridge
- Removable and flexible heated print bed
- 45 Decibel, ultra quiet during operation
- Built-in 2 million pixel WiFi HD camera for remote monitoring
- 3D Cloud for remote control
- One spool of filament is included

Redesigned from the ground up, the new extrusion system takes the hassle out of every element of printing!





Swap out the complete nozzle in seconds thanks to a new hot swappable design, with an inbuilt heating cartridge and thermistor.

Surrounded by a plastic shell to protect your hands, the nozzle can be replaced faster than any other printer.








# Removable and flexible heated print bed


Press down and slide out, the flexible build plate helps you to remove printed objects at ease. Slightly bending the plate and hassle leaves.

A heated bed that happily goes up to 100 degrees celsius.










#### 45 Decibel, ultra quiet during operation



## **3D Print from the Cloud**

3D Cloud, is an integral 3D printing sourcing platform, with free storage (register online), sharing/downloading files, interacting with each other, automatic file slicing and accessable model database; also available for online management - transfer, monitor and control multiple printers simultaneously.





Access the camera from FlashCloud, with no specialised software required, and enjoy your prints from right next to the machine.



### **PARAMETERS**

PRINT	
Extruder number:	1
Extruder diameter:	0.4mm
Highest set temperature of extruder	240°C
Build volume:	150*150*150mm
Print speed:	10-100mm/s
Highest set temperature of platform	100°C
DEVICE	
Printer volume:	388*340*405mm
Screen:	2.8-inch Touch Screen
Net weight:	9kg
Input:	100-240 VAC,47-63Hz
Power:	150w
Internal storage:	8 <b>G</b>
Spool:	52mm
COMMUNCATION	
Data transmission:	USB stick,Wi-Fi,Ethernet,FlashCloud,PolarCloud
Software:	FlashPrint
Output:	GX/G files
Input:	3MF/STL/OBJ/FPP/BMP/PNG/JPG/JPEG files